

CE861A

## HP Colour LaserJet Pro CM1415fn Colour Multifunction Printer/ Copy/ Scan/ Fax



### **Product Description**

HP Colour LaserJet Pro CM1415fn Color Multifunction Printer 1415fn- Print/ Copy/ Scan/ Fax, up to 8/12ppm colour/mono, 150 sheet input, 125 sheet output, ADF, 160MB, 600 x 600 dpi, HP ImageRet 3600. fax and 10/100 Ethernet.

---

### **Specifications on this product range**

#### **Features:**

- Use a colour touchscreen to print, copy, scan and fax.
- Connect this MFP to a wired or wireless network and give your office high-quality prints with vivid colour and sharp black.
- Save energy and reduce your impact.
- Use the 3.5-inch colour touchscreen to access and print information.
- Spend more time on business and less time on setup and maintenance.
- Easily copy both sides of an ID card onto a single-sided document.
- Print, copy, scan – in colour, and fax, with the first HP LaserJet that prints from the Web and mobile devices.
- Connect to a wired or wireless network.

<b>Specifications</b>	
<b>Functions</b>	Print, copy, scan, fax
<b>AIO multitasking supported</b>	Yes
<b>Printing specifications</b>	
<b>Print speed black (normal, A4)</b>	Up to 12 ppm
<b>Print speed colour (normal, A4)</b>	Up to 8 ppm

<b>Print speed footnote</b>	Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <a href="http://www.hp.com/go/printerclaims">http://www.hp.com/go/printerclaims</a> . Exact speed varies depending on the system configuration, software application, driver, and document complexity.
<b>First page out black (A4, ready)</b>	As fast as 26 sec
<b>First page out color (A4, ready)</b>	As fast as 32 sec
<b>Duty cycle (monthly, A4)</b>	Up to 30000 pages
<b>Duty cycle note</b>	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
<b>Recommended monthly page volume</b>	300 to 1500
<b>Print technology</b>	Laser
<b>Print quality black (best)</b>	Up to 600 x 600 dpi
<b>Print quality colour (best)</b>	Up to 600 x 600 dpi
<b>Number of print cartridges</b>	4 (1 each black, cyan, magenta, yellow)
<b>Paper handling</b>	
<b>Paper handling standard/input</b>	150-sheet input tray
<b>Paper handling standard/output</b>	125-sheet output bin
<b>Maximum input capacity (envelopes)</b>	Up to 10 envelopes
<b>Envelope feeder</b>	No
<b>Duplex print options</b>	Manual (driver support provided)
<b>Finished output handling</b>	Sheetfed
<b>Media sizes supported</b>	A4; A5; A6; 10 x 15 cm; B5 (ISO, JIS)
<b>Custom media sizes</b>	76 x 127 to 216 x 356 mm
<b>Media types supported</b>	Paper (bond, brochure, colour, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), transparencies, labels, envelopes, cardstock
<b>Additional specifications</b>	
<b>Processor speed</b>	600 MHz
<b>Standard memory</b>	160 MB
<b>Maximum memory</b>	160 MB
<b>Hard disk capacity</b>	None
<b>Standard printer languages</b>	HP PCL 6, HP PCL 5c, HP Postscript level 3 emulation (via Universal Print Driver)
<b>Scanner specifications</b>	
<b>Scan type</b>	Flatbed, ADF
<b>Optical scanning resolution</b>	Up to 1200 dpi
<b>Bit depth</b>	30-bit
<b>Scan size flatbed (maximum)</b>	216 x 297 mm
<b>Scan size ADF (maximum)</b>	216 x 356 mm
<b>Scan quality black (normal)</b>	Up to 12 ppm
<b>Duplex ADF scanning</b>	No
<b>Copier specifications</b>	
<b>Copy resolution (black text)</b>	Up to 600 x 600 dpi

<b>Copy resolution (colour text and graphics)</b>	Up to 600 x 600 dpi
<b>Copy size</b>	25 to 400%
<b>Maximum copies</b>	Up to 99 copies
<b>Fax specifications</b>	
<b>Fax speed</b>	Up to 33.6 kbps
<b>A4 pages held in memory</b>	Up to 250 pages
<b>Fax note</b>	Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.
<b>Resolution (black and white, best mode)</b>	Up to 203 x 196 dpi
<b>Maximum speed dialing numbers</b>	120 numbers
<b>Auto-redialing</b>	Yes
<b>Fax delayed sending</b>	Yes
<b>Broadcast locations</b>	120 locations
<b>Junk barrier supported</b>	Yes
<b>Photo printing</b>	
<b>Display</b>	8.9 cm touchscreen Colour Graphic Display (CGD)
<b>Memory card compatibility</b>	None
<b>Connectivity</b>	
<b>HP ePrint capability</b>	Yes
<b>Standard connectivity</b>	1 Hi-Speed USB 2.0 port; 1 Host USB; 1 built-in 10/100 wired Ethernet network connectivity with 1 RJ-45 port
<b>Minimum system requirements for Macintosh</b>	Mac OS X v10.5.8, v10.6; PowerPC G4, G5, or Intel Core Processor; 256 MB RAM; 300 MB free hard disk space; CD/DVD-ROM or Internet; USB or Network port
<b>Minimum system requirements</b>	Windows 7, Windows Vista: 1 GHz 32-bit (x86) or 64-bit (x64) processor, 1 GB RAM (32-bit) or 2 GB RAM (64-bit), 200 MB free hard disk space, CD/DVD-ROM or Internet, USB or Network port; Microsoft Windows XP (32-bit) (SP2): Pentium 233 MHz processor, 512 MB RAM (32-bit) or 2 GB RAM (64-bit), 200 MB free hard disk space, CD/DVD-ROM or Internet, USB or Network port
<b>Compatible operating systems</b>	Full software installs supported on: Windows 7 32-bit and 64-bit, Windows Vista 32-bit and 64-bit, Microsoft Windows XP 32-bit (SP2 or higher); Driver only installs supported on: Microsoft Windows Server 2008 32-bit and 64-bit, Windows Server 2003 32-bit (SP3 or higher); Mac OS X v10.5.8, v10.6; Linpus Linux (9.4, 9.5), RED HAT Enterprise Linux 5.0 (supported with a pre-built package); SUSE Linux (10.3, 11.0, 11, 11.1, 11.2), Fedora (9, 9.0, 10, 10.0, 11.0, 11, 12, 12.0), Ubuntu (8.04, 8.04.1, 8.04.2, 8.10, 9.04, 9.10, 10.04), Debian (5.0, 5.0.1, 5.0.2, 5.0.3) (supported by the automatic installer); HPUX 11 and Solaris 8/9
<b>Dimensions and weight</b>	
<b>Product dimensions (W x D x H)</b>	443 x 472 x 415 mm
<b>Product weight</b>	22.7 kg
<b>Package weight</b>	25.9 kg
<b>Power and operating requirements</b>	

<b>Power requirements</b>	Input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz)
<b>Power consumption</b>	285 watts (printing/ copying), 17.5 watts (standby), 9.0 watts (sleep), 0.1 watts (manual-off); Typical Electricity Consumption (TEC): 1.791 kWh/ Week
<b>Power consumption (active)</b>	285 watts
<b>Power consumption (standby)</b>	17.5 watts
<b>Power consumption (sleep)</b>	9.0 watts
<b>Power consumption (manual-off)</b>	0.1 watts
<b>Acoustic power emissions</b>	6.1 B(A)
<b>Acoustic pressure emissions bystander (active, printing)</b>	48 dB(A)
<b>Operating temperature range</b>	15 to 32.5 degree celsius
<b>Recommended operating temperature range</b>	17 to 25 degree celsius
<b>ENERGY STAR qualified</b>	Yes
<b>What's in the box</b>	
<b>What's in the box</b>	HP LaserJet Pro CM1415fn color MFP; Preinstalled introductory 750-page black, cyan, magenta, yellow HP Color LaserJet print cartridges with ColorSphere toner; Control panel; ADF input support; CDs containing device software and electronic User's Guide; Readiris PRO text recognition software; Readiris registration card; Installation Guide; Support flyer; Power cord(s); Phone cord(s)
<b>Cable included</b>	<a href="#">No, please purchase USB cable separately</a>
<b>Software included</b>	Microsoft Windows: HP Installer/ Uninstaller, HP PCL 6 print driver, HP WIA Scan Driver, HP TWAIN Scan Driver, HP Scan, HP Fax Setup Wizard, HP Send Fax, HP Fax Print Driver, ReadIris Software; Mac: HP Installer/ Uninstaller, HP PS driver, HP Scan, HP Setup Assistant, HP Fax Print Driver, HP Ink Widget, HP Utility, Readiris Software
<b>Warranty</b>	<a href="#">One year limited warranty. Warranty and support options vary by product, country and local legal requirements.</a>
<b>Plus</b>	<a href="#">8.9 cm colour touchscreen, ePrint, Web-connected business apps, front panel USB port, ID copy, ADF</a>

© 2002 - 2011 ComXpert International CC

Accuracy of information is not guaranteed.  
Images are a reference and may differ from actual product.  
E&OE. [Terms and conditions apply.](#)



Office Technology Irl. Ltd.,  
Unit G9, Riverview Business Park,  
Nangor Road,  
Dublin12.  
Tel: +353 1 460 4444  
Fax: +353 1 460 3333  
[www.officetechnology.ie](http://www.officetechnology.ie)