

Lexmark E460 Series

Lexmark E460dn

Lexmark E460dw



PRINT



38 PPM



DUPLEX



NETWORK



High-endurance printing
delivered in a compact design!



LEXMARKTM

Print Less. Save More.

Print less? This may seem like a surprising message for a company dedicated solely to printing. But when you consider that businesses spend, on average, up to 6% of their turnover on printing, and that active print management can cut office print costs by up to 30%⁽¹⁾, it makes a lot of sense. Lexmark products, solutions and services provide innovative ways to save you time, drive down costs and reduce your impact on the environment. We are committed to helping you print less and save more.

⁽¹⁾ Source: InfoTrends/CapVentures., «Network Document Solutions Forecast 2007-2012, Network Document Solutions Consulting Service», August, 2008

Keep your productivity up and costs down with the Lexmark E460dn. Network-ready, and with an intuitive display, it offers effortless operation, confidential printing, advanced security and management tools, and practical ways to lower your running costs – including integrated duplex printing and Lexmark Extra High Yield Toner Cartridges. Great value for small and medium workgroups with big workloads and high expectations!



Powerfully simple!

With its rapid time-to-first-page, the Lexmark E460dn is a powerful asset to your workgroup. It features everything you need to perform at your best, along with great print quality and an intuitive display to simplify your workday.

- Powerful 466 MHz processor
- First page out as fast as 6.5 seconds thanks to the instant warm-up fuser
- High-speed printing up to 38 ppm
- User-friendly 4-line graphical display



Hassle-free management

Your day is too busy to spend time on maintenance issues. The Lexmark E460dn brings simplified management to your fingertips. Experience enhanced security and time savings with a range of high-end features you typically wouldn't expect on such an attractively priced printer.

- Lexmark remote management tools available
- Customised early-warning alerts for low toner
- 10-digit numeric pad for secure print release
- Customisable operator panel messaging



Easy on your budget

Benefit from smarter ways to save and an attractive total cost of ownership. In addition to its low acquisition price, the Lexmark E460dn offers you cost-effective ways to expand your team's productivity and lower your total cost of printing.

- Lower page cost with Extra-High-Yield 15K Lexmark Toner Cartridges
- Multiple darkness levels save up to 50% on toner
- Built-in networking for easy sharing
- Expandable paper capacity up to 850 sheets



Prints black, thinks green

Printing responsibly means everyone wins – your business, your budget and the environment! The Lexmark E260 is designed with eco-conscious features to help you reduce paper and save energy.

- Paper-saving duplex printing standard
- Eco-Mode reduces power consumption
- Instant warm-up fuser saves energy
- Lexmark Cartridge Return Programme for easy recycling



Lexmark's guarantee to you

At Lexmark, we are always working hard to ensure you achieve maximum productivity and minimum downtime. Our E460dn includes our service guarantee of One-year Return to Base. For an even greater level of peace of mind, you can opt for one of our enhanced Onsite service offerings. For more information on these offerings, just contact your local dealer or visit us today at www.lexmark.com/services.

Lexmark E460 Series

**High-endurance printing
for busy workgroups – in a compact size!**

Small in size, BIG on savings!



Affordable printing

Reduce operating costs with multiple toner-level settings and the optional Lexmark Extra High Yield Toner Cartridge (15K).



Comprehensive messaging

The user-friendly operator panel includes an intuitive 4-line display, which offers you valuable time-saving guidance and assistance.



Eco-Mode

Select this printing mode to automatically lower your energy consumption and drive down paper waste and costs.



Secure printing

Keep sensitive documents fully secure. Use the numeric pad to hold, release and protect all your confidential print jobs. It helps save paper too!



Get exactly the performance you need



Lexmark E360d

Faster, more-versatile printing with duplex printing

- Up to 38 ppm print speeds
- 50-sheet multipurpose feeder
- Intuitive 2-line LCD display
- 3.5K and 9K Lexmark Toner Cartridges available
- Recommended average volume: 740 to 6,000 pages

Available models: Lexmark E360d, Lexmark E360dn



Lexmark E460dn

Compact yet built for demanding higher volume workgroup printing

- User-friendly 4-line operator panel with numeric pad
- Enhanced security and service features
- Compatible with Lexmark Forms and Bar Code Card Solution
- 3.5K, 9K and 15K Lexmark Toner Cartridges available
- Recommended average volume: 1,500 to 10,000 pages

Available models: Lexmark E460dn, Lexmark E460dw*

* Wireless model not available in all countries




Lexmark T640

Ideal for larger workgroups that need more power and optimum input capacity

- Upgradeable to a multifunction device
- Up to 3,850-sheet input, 2,750-sheet output
- Lexmark High Yield Print Cartridges (21K) available
- Recommended monthly volume: 3,000 to 20,000 pages

Available models: Lexmark T640n, Lexmark T640dn, Lexmark T640dtn

Printing	
Print Technology	Laser, Monochrome
Print Speed (A4 mono): Up to	38 ppm
Time to First Page (Black)	As fast as 6.5 seconds
Print Resolution, Black	1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi
Memory, standard	
Memory, standard	64 MB
Memory network model, maximum	576 MB
Noise Level, Operating	53 dBA
Noise Level, Idle	inaudible dBA
Maximum Monthly Duty Cycle: Up to	80000 pages per month
Recommended Monthly Page Volume	1500 - 10000 Pages
Supplies	
Supplies Yield	9,000*-page High Yield Toner Cartridge, 3,500*-page Toner Cartridge, 15,000*-page Extra High Yield Toner Cartridge
(*Average standard page yield value declared in accordance with ISO/IEC 19752)	
Cartridge(s) Shipping with Product	7,000*-page Starter Return Program Toner Cartridge
Paper Handling	
Paper Handling Standard	150-Sheet Output Bin, Integrated Duplex, Single Sheet Exit, 250-Sheet Input Tray, 50-Sheet Multipurpose Feeder
Paper Handling Optional	550-Sheet Drawer, Only one drawer may be installed at a time, 250-Sheet Drawer
Paper Input Capacity, Standard: Up to	300 pages at 80 gsm bond
Paper Input Capacity, Maximum: Up to	850 pages at 80 gsm bond
Paper Output Capacity, Standard: Up to	150 pages at 80 gsm bond
Paper Output Capacity, Maximum: Up to	150 pages at 80 gsm bond
Media Types Supported	Card Stock, Envelopes, Paper Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide
Media Sizes Supported	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B5 Envelope, C5 Envelope, DL Envelope, A6 Card, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal, Oficio
Compatibility	
Network Protocol Support	TCP/IP IPv4, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6, TCP, UDP
Printer Languages (Standard)	PCL 5e Emulation, PCL 6 Emulation, PPDS, PostScript 3 Emulation, xHTML, PDF 1.6, Direct Image
Standard Ports	Centronics IEEE 1284 Bidirectional Parallel, Fast Ethernet, USB 2.0 Specification Hi-Speed Certified (Type B)
Microsoft Windows Operating Systems Supported	2000, XP, Server 2003, XP x64, Server 2003 running Terminal Services, 2000 Server running Terminal Services, Server 2003 x64, Server 2003 x64 running Terminal Services, Vista, Vista x64, Server 2008, Server 2008 x64, Server 2008 running Terminal Services, Server 2008 x64 running Terminal Services
Apple Macintosh Operating Systems Supported	Mac OS X, Mac OS 9.x
Other Operating Systems Supported	www.lexmark.co.uk
General	
Product Guarantee	1 Year return to base, 5-7 business days response time
Product Certifications	www.lexmark.co.uk
Size (mm - H x W x D)	260 x 406 x 370 mm
Weight (kg)	14.03 kg
Specified Operating Environment	Temperature: 16 to 32°C (60 to 90°F), Altitude: 0 - 2500 Meters (8,200 Feet), Humidity: 8 to 80% Relative Humidity for Temperatures less than 25.5°C (78°F)



■ Paper Handling Standard

■ Paper Handling Optional

Part #	Model
0034S0715	Lexmark E460dn
Part # Laser Toner/Print Cartridge	
0E460X11E	E460 Extra High Yield Return Program Toner Cartridge
0E360H11E	E360, E460 High Yield Return Program Toner Cartridge
0E260A11E	E260, E360, E460 Return Program Toner Cartridge
0E460X21E	E460 Extra High Yield Toner Cartridge
0E360H21E	E360, E460 High Yield Toner Cartridge
0E260A21E	E260, E360, E460 Toner Cartridge
0E260X22G	E260, E360, E460 Photoconductor Kit
Part # Paper & Transparencies	
0012A5010	Lexmark Laser Printers - A4 Transparency
Part # Paper Handling	
0034S0550	550-Sheet Drawer
0034S0250	250-Sheet Drawer
Part # Memory Options	
001022298	128MB DDR1-DRAM
001022299	256MB DDR1-DRAM
001022301	512MB DDR1-DRAM
0014F0245	256MB Flash Card
Part # Application Solutions	
0030G0829	Lexmark Print/Cryption Card
0034S0970	E460 Forms and Bar Code Card
Part # Connectivity	
001021231	Parallel (10') Cable
001021294	USB (2 Meter) Cable
0014T0165	Lexmark N4050e 802.11g Wireless Print Server
0014T0220	MarkNet™ N7020e Gigabit Ethernet Print Server
Part # Extended Warranties	
002350279	E460 2-Years Total Return-to-Base, 5-7 Business Days
002350280	E460 3-Years Total Return-to-Base, 5-7 Business Days
002350281	E460 4-Years Total Return-to-Base, 5-7 Business Days
002350283	E460 1-Year Return-to-Base Renewal, 5-7 Business Days
002350288	E460 2-Years Total Onsite Service, Next Business Day
002350289	E460 3-Years Total Onsite Service, Next Business Day
002350290	E460 4-Years Total Onsite Service, Next Business Day
002350262	E460 1-Year Renewal Onsite Service, Next Business Day
Part # Service Parts	
0040X5401	E460 Fuser Maintenance Kit 220-240V

Office Technology Irl. Ltd.,
Unit G9 Riverview Business Park,
Nangor Road,
Dublin 12.
Tel: 01 460 44 44
Fax: 01 460 33 33
Email: info@officetechnology.ie
Website: www.officetechnology.ie



In the box
Lexmark E460dn Laser Printer, Up to 7,000 pages* Starter Return Program Toner Cartridge, Photoconductor Kit, Software and documentation CD, Setup Guide or sheet (network and local attachment), Power cord(s), Statement of limited warranty / guarantee, Operator panel language overlay, Safety sheet or booklet, Cartridge Return Program Information

Other models available
E460dw: Lexmark E460dn + built-in wireless

Environmental commitment
Lexmark believes that the environment is a critical component of responsible business management and clearly demonstrates it by implementing the "4R" strategy: Reduce, Recover, Reuse and Recycle. To learn more about these programmes please visit www.lexmark.com/recycle

Cost saving and environmental features

- Energy Star compliant
- Duplex printing, print and hold (verify print), multi-up printing and quality printing on recycled paper help reducing paper consumption
- Selectable toner saving modes help reducing the amount of toner used on a page.
- Return programme cartridges and end-of-life product management help reducing landfill

Maximum Monthly Duty Cycle
«Maximum Monthly Duty Cycle» is defined as the maximum number of pages a device could deliver in a month. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPPs.

Recommended Monthly Page Volume
«Recommended Monthly Page Volume» is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

Trademarks
Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. PCL is a registered trademark of Hewlett-Packard Company. AppleTalk, Mac and Macintosh are trademarks of Apple Computer, Inc., registered in the United States and other countries. MarkNet and MarkVision are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. The USB-IF logos are trademarks of Universal Serial Bus Implementers Forum, Inc. ENERGY STAR® is a U.S. registered mark. Microsoft, Windows, the Windows logo, Windows Vista, and the Windows Vista logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Citrix, MetaFrame and MetaFrame XP are registered trademarks or trademarks of Citrix Systems, Inc. in the U.S. and other countries. Information in this document is subject to change without notice.

